

# SAFETY DATA SHEET

# **APTsorb. APTIVATOR**<sup>®</sup>

Section I. Identification and Company Information

SDS Name: APTsorb, APTIVATOR Synonyms: Granular peat, organic peat, reed-sedge peat Recommended use: Water filtration media Restrictions on use: None Preparer's/Manufacturer's Name: American Peat Technology, LLC 36203 350<sup>th</sup> Ave. Aitkin, MN 56431 Emergency Number: 218-927-1888

Section II. Hazards Identification

No known GHS hazards.

Section III. Composition and Information on Ingredients

CAS #	Chemical name	Percent
Not available	Reed-sedge peat	95 – 100
<u>471-34-1</u>	Calcium carbonate (ag lime)	0 – 5

#### **Section IV. First Aid Measures**

Eyes: Dust may cause mechanical irritation. Flush eyes with water for at least 15 minutes.

**Inhalation:** Dust may cause irritation of the upper respiratory tract. Move to fresh air. Seek medical attention if exposure results in difficulty breathing.

Skin: Not absorbed through skin.

Ingestion: Not available.

#### Section V. Fire Fighting Measures

General information: Will burn if involved in a fire.

**Extinguishing media:** Any available. **CAUTION:** Burning may continue inside bags or if material is piled. After fire is extinguished, spread material to assure that the material is not smoldering or starting to reheat.

**Combustion products:** Thermal decomposition products are those commonly observed with natural products such as wood or vegetable matter.

**Special protective firefighting equipment and precautions:** No special equipment or precautions necessary.

Dust explosion hazard: Per ASTM E1226, dust from media is in the St 1 class with a K<sub>max</sub> of 78 m·bar/s.

Section VI. Accidental Release Measures

Precautions and equipment: No special equipment or precautions. Avoid generating dust.

#### Environmental precautions: None

Methods for containment: Vacuum or sweep up material and place in a suitable container.

#### Section VII. Handling and Storage

**Handling:** Minimize dust generation. Use a NIOSH-approved N95 particulate mask and/or eye protection if conditions are dusty.

**Storage:** Store in a dry place away from sources of ignition. Molding can occur if wet media is stored in an air-tight container. Periodically check bags of dry media for signs of internal heating.

### Section VIII. Exposure Control and Personal Protection

**Exposure limits:** OSHA PEL: 15 mg/m<sup>3</sup> (total, inert dust)

**Engineering controls:** Transfer product in a wet state or in a well-ventilated area to minimize dust accumulation.

#### Personal protective equipment

Eyes: Wear appropriate eyewear to protect against dust when transferring dry product.

**Respirators:** Use a NIOSH-approved N95 particulate mask to protect against dust when transferring dry product.

#### Section IX. Physical and chemical properties

**Appearance:** Solid, brown granules **pH:** 6.0 – 7.2 Boiling point: Not available **Evaporation rate:** Negligible Vapor pressure: Not available Vapor density: Not available Specific gravity: 0.7 Autoignition temperature: 500° F (260° C) Decomposition temperature: Not available Flammability: Not available Flammable limit (upper, lower): Not available Explosivity: (per ASTM E1226) P<sub>max</sub>: 8.1 bar; (dP/dt)<sub>max</sub>: 286 bar/s; K<sub>max</sub>: 78 m·bar/

Odor: Smoky, humic (no threshold) Freezing/melting point: Not available Flash point: Not available Solubility: Insoluble in water

#### Section X. Stability and Reactivity

**Reactivity:** Not reactive

Chemical stability: Stable under normal temperatures and pressures.

**Conditions to avoid:** Dust generation with dry media, excess heat.

Incompatibilities with other materials: Has not been reported.

Hazardous decomposition products: Thermal decomposition releases carbon monoxide, carbon dioxide, and hydrocarbons.

#### Section XI. Toxicological information

Routes of exposure: Inhalation, eyes Symptoms of exposure: Mechanical irritation of upper respiratory tract, eyes RTECS #: This material is not listed in the RTECS index. Effects of acute exposure: Dust of dry product may cause respiratory distress. Effects of chronic exposure: Not available LD50/LC50: Not available Carcinogenicity: Not listed by OSHA, IARC, NTP, or ACGIH. Reproductive toxicity: Not available Teratogenicity: Not available Mutagenicity: Not available

#### Section XII. Ecological Information

APTsorb and APTIVATOR are derived from natural peat and have no known ecotoxicity or bioaccumulation potential.

#### Section XIII. Disposal Considerations

Chemical waste generators must determine if the used material is classified as a hazardous waste under EPA guidelines 40 CFR Parts 261.3. Generators must also consult state and local regulations.

#### Section XIV. Transport Information

UN Number: None US DOT: Not regulated Special precautions: None Canada TDG: Not regulated

#### Section XV. Regulatory Information

#### **UNITED STATES**

TSCA: This material is not listed on the TSCA inventory.
SARA Sections 302 and 304: This material is not listed as an EHS.
EPCRA: This material is not reportable under Section 313.
CERCLA: This material does not have a reportable quantity.
RCRA: This material is not listed on the RCRA lists.
CAA: This material does not contain any hazardous air pollutants.
CWA: This material is not listed as a hazardous substance, priority pollutant or toxic pollutant by the Clean Water Act.

#### CANADA

WHMIS: This product is not classified by the Controlled Products Regulations.

**DSL/NDSL:** This material is not listed on the DSL or NDSL. However, there is no control measure imposed to this substance.

**5 |** Page

## Section XVI. Additional Information

**SDS creation date:** 10/29/14; **Revised:** 01/15/15; 03/06/15; 09/21/20; 10/8/20